

**POLYPAN F**

<b>Wywoływacz</b>	<b>Rozcieńczenie</b>	<b>Naświetlanie</b>	<b>35mm</b>	<b>120</b>	<b>Błony</b>	<b>Temp.</b>
Acutol	1+14	32	15			20°C
Amaloco AM50	1+29	50	7			20°C
Calbe A49		50	8.5			20°C
D-25		25	40			20°C
D-76	1+1	50	8-13			20°C
D-76	1+3	50	21-25			20°C
FD10	1+9	50	8			20°C
Fomadon LQN	1+10	50	7			20°C
FX-1	1+1+8	100	12			20°C
HC-110	H	25	12.5			20°C
ID-11	1+3	50	21-25			20°C
ID-11	1+1	50	8-13			20°C
ID-68	1+3	25	12			20°C
ID-68	1+3	50	18.5			20°C
Ilfosol S	1+14	32	7.75			21°C
Microphen		200	15.5			20°C
Promicrol	1+9	50	8			20°C
R09	1+50	50	13.5			19°C
Rodinal	1+49	50	7-8			20°C
Rodinal	1+100	50	40			20°C
Rodinal	1+50	100	17			20°C
Rodinal	1+90	100	60			20°C
Rodinal	1+100	100	65			20°C
Spur HRX	1+19	25	4.5			20°C
Spur SLD	1+24	50	6			20°C
Tanol	1+1+100	32	12			24°C
TFX-2		125	22			20°C
Ultrafin	1+10	80	6.5			20°C
Xtol	1+1.5	50	8.5-9			20°C