

**FUJI NEOPAN F**

<b>Wywoływacz</b>	<b>Rozcieńczenie</b>	<b>Naświetlanie</b>	<b>35mm</b>	<b>120</b>	<b>Błony</b>	<b>Temp.</b>
D-76		32	6			20°C
D-76	1+1	32	8			20°C
D-76		40	6.5			20°C
D-76	1+1	40	8.5			20°C
Fuji Microfine	1+1	32	10.5			20°C
Fuji Microfine		32	9			20°C
Fujidol E		32	6.5			20°C
Fujidol E		40	6.75			20°C
Fujidol E	1+1	400	7.25			20°C
Fujidol E	1+1	400	8			20°C
HC-110	B	32	3.5			20°C
HC-110	B	50	4.75			20°C
ID-11		32	5.75			20°C
ID-11		50	7.5			20°C
Microdol-X		32	8			20°C
SPD	1+1	32	4.75			20°C
SPD		50	3			20°C
SPD	1+1	50	5			20°C
TMax Dev	1+4	50	4.5			20°C
TMax Dev	1+4	100	7			20°C

**FUJI NEOPAN 100 ACROS**

<b>Wywoływacz</b>	<b>Rozcieńczenie</b>	<b>Naświetlanie</b>	<b>35mm</b>	<b>120</b>	<b>Błony</b>	<b>Temp.</b>
Aculux 2	1+9	160	12	12		20°C
Acutol	1+9	200	6	6		20°C
Amaloco AM20		100	7-7.5	7-7.5		20°C
Amaloco AM20		200	10-12	10-12		20°C
Amaloco AM50		100	7			20°C

Amaloco AM74		100	4			20°C
Amaloco AM74		200	6.5			20°C
Artdol	1+3	80			3.75	22°C
Artdol	1+2	100			4.5	20°C
D-23		100	9	9	9	20°C
D-76		64		6.25		20°C
D-76		100	7.25	7.25		20°C
D-76	1+1	100	10.5	10.5		20°C
D-76		200	10	10		20°C
Diafine		200	5+5			22°C
Econodev 2	1+49	100	5.5			20°C
Econotol 2	1+14	100	4.25			20°C
Econotol 2	1+9	100	4.25			20°C
F76+	1+9	100		5.5		20°C
Fino ST33	1+3	100		7.75		20°C
Fuji Microfine		100	10	10		20°C
Fuji Microfine	1+1	100	15	15		20°C
Fujidol E		100	9	9		20°C
Fujidol E	1+1	100	12.5	12.5		20°C
Fujidol E		200	17	17		20°C
FX-19		100	8	8	8	20°C
FX-39	1+9	200	6.5	6.5		20°C
FX-50		200-250	9	9		20°C
HC-110	B	80	4.5	4.5		20°C
HC-110	B	100-125	5.5			20°C
HC-110	E	100		7		20°C
Hypercat	1+1+100	100	9			24°C
ID-11		64		6.25		20°C
ID-11	1+1	100		10		20°C
ID-11		100	6.75	6.75		20°C
Ilfotec DD		50	8.5			24°C

Ilfotec DD		100	13	13		20°C
Ilfotec DD		100	9			24°C
Ilfotec DD		200	10.5			24°C
Ilfotec DD-X	1+4	100	9			20°C
Ilfotec DD-X	1+4	200	14			20°C
Ilfotec LC29	1+29	80	7			20°C
Ilfotec LC29	1+19	80	4.5			20°C
Microdol-X	1+3	80	16			24°C
Microdol-X		100	11.5	11.5		20°C
Microphen		100	8			20°C
Neoprodol	1+1	200	7	7		20°C
Perceptol		50-100	12.5	12.5		20°C
Perceptol	1+2	100		16		24°C
PMK	1+2+100	50		11		20°C
Rodinal	1+50	50		11		20°C
Rodinal	1+50	80	11.5			20°C
Rodinal	1+100	100		18		20°C
SPD		80	4.25	4.25		20°C
SPD	1+1	80	6.5	6.5		20°C
Sprint Standard	1+9	100	10			20°C
Super Fujidol-L		100	6	6		20°C
Tanol	1+1+100	50	12.5	12.5		20°C
TMax Dev	1+4	100	5.5	5.5		20°C
TMax Dev	1+4	200	8	8		20°C
TMax RS		100	5.25	5.25		20°C
Ultrafin Plus	1+4	100	6.5			20°C
Universal	1+29	125	6	6		20°C
Xtol	1+3	100	14			20°C
Xtol		100	8	8		20°C
Xtol	1+1	100	9.5			20°C

**FUJI NEOPAN 100 SS**

<b>Wywoływacz</b>	<b>Rozcieńczenie</b>	<b>Naświetlanie</b>	<b>35mm</b>	<b>120</b>	<b>Błony</b>	<b>Temp.</b>
Acufine		200	3.5			20°C
Acufine		400	5			20°C
Arista Liquid		100	7	7		20°C
Beutler	1+1+10	100	9			20°C
D-76	1+3	100	9.75			26°C
D-76	1+1	100	8.25	9.5		20°C
D-76		100	6.75	7		20°C
D-76		200	7.25	9.75		20°C
D-76	1+1	200	9			20°C
Emofin		100	5+5	5+5		20°C
Fuji Microfine	1+1	100	11.5	11.5		20°C
Fuji Microfine		100	9.5	9.5		20°C
Fujidol E	1+1	100	7.5	8.5		20°C
Fujidol E		100	6.75	7		20°C
Fujidol E		200	7.25			20°C
Gamma Plus	1+7	100	5	5		20°C
Gamma Plus	1+12	100	7	7		20°C
Gamma Plus	1+20	100	11	11		20°C
HC-110	B	100		4.5		20°C
HC-110	B	200	6.25	7		20°C
ID-11		100	5.5	6.25		20°C
ID-11		200	6			20°C
ID-11		400	8.5			20°C
Ilfosol S	1+9	100	5			20°C
Ilfotec LC29	1+19	100	5	5		20°C
Ilfotec LC29	1+19	200	6	6		20°C
Microdol-X		100	7	7		20°C
Microdol-X	1+1	100	8.5	8.5		20°C
Mini Grain	1+10		13			24°C
Perceptol		100	9	9		20°C

Pressmax	1+19	100	7	7		20°C
Rodinal	1+25	100	7-10	7-10		20°C
Rodinal	1+50	100	14-16	14-16		20°C
SPD	1+1	100	7	7		20°C
SPD	1+1	200	7.5	7.5		20°C
SPD		200	5	5		20°C
SPD		400	9	9		20°C
Studional	1+15	50	3.5			20°C
Studional	1+15	100	4			20°C
TMax Dev	1+4	200	5.5	5.5		20°C
TMax Dev	1+4	400	8.5	8.5		20°C
TMax RS		200	5.5	5.5		20°C
TMax RS		400	8	8		20°C
Ultrafin Plus	1+4	100	9	9		20°C
Ultrafin SF		100	9	9		20°C
Xtol		100	6	6		20°C
Xtol		200	6.5	6.5		20°C

#### **FUJI NEOPAN 400**

<b>Wywoływacz</b>	<b>Rozcieńczenie</b>	<b>Naświetlanie</b>	<b>35mm</b>	<b>120</b>	<b>Błony</b>	<b>Temp.</b>
777		400	10-13			24°C
ACU-1	1+5	400	5.75	5.75		20°C
ACU-1	1+10	800	12.75	12.75		21°C
Acufine		400	3.25	3.25		20°C
Acufine		800	4.5	4.5		20°C
Acufine		1600	7	7		20°C
Aculux 2	1+9	250	8			20°C
Aculux 2	1+9	400	12	17		20°C
Acutol	1+9	400	8.5	11.5		20°C
Acutol	1+10	640	8.5			20°C
Acutol	1+15	640	12.5			20°C

Acutol	1+20	640	17			20°C
Amaloco AM20		400	8.5	8.5		20°C
Amaloco AM20		800	9.5	9.5		20°C
Amaloco AM50		400	8.5			20°C
Amaloco AM74		400	6			20°C
Amaloco AM74		800	6.75			20°C
Amaloco AM74		1600	7.5			20°C
Arista Liquid		400	8	8		20°C
Arista Premium	1+9	400	6	6		20°C
Calbe A49	1+1	400		13		20°C
D-23		100	9	9		20°C
D-76		250	6.5	6.5		20°C
D-76		400	7.5	7.5		20°C
D-76	1+1	400	9.5	9.5		20°C
D-76	1+1	800	13	13		20°C
D-76		800	8.75	9		20°C
D-76		1600	13.5	13.5		20°C
Diafine		640	3+3			20°C
Econodev 2	1+49	400	10			20°C
Econodev 2	1+24	400	6			20°C
Econotol 2	1+9	400	8.5	8.5		20°C
Econotol 2	1+14	400	13	13		20°C
Econotol 2	1+9	800	12			20°C
Emofin		400	6+6	6+6		20°C
Ethol Blue	1+30	800	7	7		21°C
Ethol TEC	1+15	500	14	14		21°C
Ethol TEC	1+15	1000	18	18		21°C
Ethol UFG		640	5	5		21°C
Ethol UFG		1000	5.5	5.5		21°C

Extend Plus	1+15	400	9	9		20°C
F60	1+9	400	5.5	5.5		24°C
F60	1+9	400	6	6		20°C
F60	1+9	400	6	6		20°C
F60	1+19	800	11	11		24°C
F76+	1+9	400	6	6		20°C
F76+	1+9	400	5.5	5.5		24°C
F76+	1+19	800	11	11		24°C
FD10	1+9	400	10	10		20°C
FD10	1+14	400	14	14		20°C
FD30	1+9	400	5	5		20°C
FD30	1+7	800	5	5		20°C
FD30	1+9	800	7	7		20°C
FD30	1+7	1600	7	7		20°C
FD30	1+9	1600	10	10		20°C
FD30	1+7	3200	10	10		20°C
FG7	1+15	320	7.75	7.75		21°C
FG7	1+15	320	11.5	11.5		21°C
FG7	1+3	320	4.5	4.5		21°C
Fino ST33	1+1	400	5	5		23°C
Fino ST33	1+1	500	5.25	5.25		20°C
Fino ST33	1+1	800	7.5	7.5		20°C
Fujidol	1+1	400	9	9		20°C
Fujidol		400	6.5	6.5		20°C
Fujidol		800	8.25	8.25		20°C
Fujidol		1600	12	12		20°C
FX-19		100	8	8		20°C
FX-37	1+3	?	6	6		20°C
FX-39	1+9	400	10	14		20°C
FX-50		400	15	15		20°C
Gradual ST20	1+9	400	12	12		20°C
HC-110	B	400	5	5		20°C
HC-110	B	800	7.25	7.25		20°C

HC-110	B	1600	12	12		20°C
HC-110	B	3200		18		20°C
Heico OS	1+10	400	5.75	5.75		20°C
ID-11		250	6.5	6.5		20°C
ID-11	1+1	400	9.5	9.5		20°C
ID-11		400	7.5	7.5		20°C
ID-11		800	8.75	9		20°C
ID-11	1+1	800	13	13		20°C
ID-11		1600	13.5	13.5		20°C
Ilfosol S	1+9	400	6.5	6.5		20°C
Ilfosol S	1+14	400	10	10		20°C
Ilfotec DD		200	6.5			24°C
Ilfotec DD		400	7.5			24°C
Ilfotec DD		800	8.5			24°C
Ilfotec DD		1600	9.5			24°C
Ilfotec DD		3200	11			24°C
Ilfotec DD-X	1+4	400	7	7		20°C
Ilfotec DD-X	1+4	800	10	10		20°C
Ilfotec HC	1+31	400	6	6		20°C
Ilfotec LC29	1+19	400	6	6		20°C
Ilfotec LC29	1+29	400	8	8		20°C
Microdol-X		200	8.5	8.5		20°C
Microdol-X		400	10	10		20°C
Microphen	1+3	400	9			20°C
Microphen	1+1	400	6.45			20°C
Microphen		400	4.5			20°C
Microphen		800	5.75			20°C
Microphen		1600	8.5			20°C
Microphen		3200	16			20°C
Negafin		400	6	6		20°C
Neofin Blue		400	20	20		20°C
Neofin Red		400	12	12		20°C
Neotenal Liquid	1+5	400	5	5		20°C



Nucleol BF200	2+1.5	400	10	10		20°C
Ornano MX		400	6.5	6.5		20°C
Ornano MX		800	7.5	7.5		20°C
Ornano MX		1600	10	10		20°C
Pandol		800	6	6		20°C
Pandol		1600	9	9		20°C
Pandol		3200	16	16		20°C
Perceptol	1+3	400	23			20°C
Perceptol	1+1	400	18			20°C
Perceptol		400	14			20°C
Pressmax	1+19	400	5	5		20°C
Promicrol	1+14	600-800	19	19		20°C
Promicrol	1+9	600-800	12	12		20°C
Pyrocat-HD	1+1+100	320		13		21°C
Rodinal	1+50	200-250	8-9	8-9		20°C
Rodinal	1+100	200	15	15		20°C
Rodinal	1+100	250	20	20		20°C
Rodinal	1+25	250	4.5	4.5		20°C
Rodinal	1+25	400	6	6		20°C
Rodinal	1+50	400	11	11		20°C
SPD		400	4.25	4.25		20°C
SPD	1+1	400	7	7		20°C
SPD		800	5.75	5.75		20°C
SPD		1600	9	9		20°C
SPD		3200	16	16		20°C
Sprint Standard	1+9	400	8.5			20°C
Spur SLD	1+9	400	3.5			20°C
Studional	1+15	200	4			20°C
Studional	1+15	320	3	3		20°C
Studional	1+15	400	6			20°C
Studional	1+45	400		10		24°C
Suprol	1+19	400	4.75	4.75		20°C

Tanol	1+1+100	200	14	14		20°C
TMax Dev	1+4	400	6	6		20°C
TMax Dev	1+9	640	11	11		24°C
TMax Dev	1+4	800	7.25	7.25		20°C
TMax Dev	1+4	1600	10	10		20°C
TMax RS		250		5		20°C
TMax RS		400	5.5	5.5		20°C
TMax RS		800	6.5	7		20°C
TMax RS		1600	9.5	10		20°C
Ultrafin	1+10	400	9	9		20°C
Ultrafin Plus	1+6	400	8.5	8.5		20°C
Ultrafin Plus	1+4	400	7.5	7.5		20°C
Ultrafin SF		400	6.5	6.5		20°C
Ultrafin SF	1+1	400	8	8		20°C
Unitol	1+14	400	10	10		20°C
Universal	1+19	400	6	6		20°C
Varispeed	1+9	400	6	6		20°C
Xtol	1+3	100-200	13.5	13.5		20°C
Xtol	1+2	100-200	11	11		20°C
Xtol	1+1	100-200	8.25	8.25		20°C
Xtol		100-200	7.5	7.5		20°C
Xtol	1+2	400	12.5	12.5		20°C
Xtol	1+1	400	9.75	9.75		20°C
Xtol		400	8.25	8.25		20°C
Xtol	1+3	400	15.75	15.75		20°C
Xtol	1+1	800	11.5	11.5		20°C
Xtol	1+3	800	18.5	18.5		20°C
Xtol		800	9.75	9.75		20°C
Xtol	1+2	800	14.5	14.5		20°C
Xtol	1+2	1600	17	17		20°C
Xtol	1+1	1600	13.5	13.5		20°C
Xtol	1+3	1600	22.5	22.5		20°C
Xtol		1600	11.5	11.5		20°C

Xtol	1+3	3200	26	26		20°C
Xtol	1+2	3200	20.5	20.5		20°C
Xtol		3200	13.5	13.5		20°C
Xtol	1+1	3200	16.5	16.5		20°C

### FUJI NEOPAN 1600

Wywoływacz	Rozcieńczenie	Naświetlanie	35mm	120	Błony	Temp.
ACU-1	1+5	1600	5.75			21°C
ACU-1	1+10	2400	14.5			21°C
Acufine		1600	4			21°C
Aculux 2	1+9	1600	12			20°C
Amaloco AM74		1600	6			20°C
Amaloco AM74		3200	7.5			20°C
D-23		100	8	8		20°C
D-76		400	4			20°C
D-76	1+1	400	5.5			20°C
D-76	1+1	800	7			20°C
D-76	1+3	800	11.5			20°C
D-76		800	5			20°C
D-76	1+1	1600	9			20°C
D-76		1600	7.5			20°C
D-76	1+3	1600	15.25			20°C
D-76		3200	15			20°C
Diafine		2400	3+3			20°C
Econodev 2	1+49	1600	8			20°C
Econodev 2	1+24	1600	5			20°C
Econotol 2	1+9	1600	6.5			20°C
Econotol 2	1+14	1600	10			20°C
Econotol 2	1+9	3200	10			20°C
Emofin		1600	3.5+3.5			20°C
Ethol Blue	1+30	2400	7.25			21°C

Ethol TEC	1+15	1600	24			21°C
Ethol TEC	1+15	2400	27			21°C
Ethol UFG		1600	4			21°C
Ethol UFG		2400	5			21°C
FD10	1+14	1600	14			20°C
FD10	1+9	1600	10			20°C
FD30	1+9	1600	7			20°C
FD30	1+9	3200	10			20°C
FG7	1+3	1000	3.75			21°C
FG7	1+15	1000	11			21°C
FG7	1+15S	1000	6.5			21°C
Fino ST33	1+1	640	4			20°C
Fino ST33	1+1	1600	7.5			20°C
Fuji Microfine	1+1	250	6			20°C
Fuji Microfine		250	5			20°C
Fuji Microfine		400	6			20°C
Fuji Microfine	1+3	400	10			20°C
Fuji Microfine	1+1	400	6.75			20°C
Fuji Microfine		800	8			20°C
Fuji Microfine	1+1	800	8.75			20°C
Fuji Microfine	1+3	800	13			20°C
Fujidol	1+3	400	8.25			20°C
Fujidol	1+1	400	4.75			20°C
Fujidol	1+1	800	6			20°C
Fujidol	1+3	800	10.5			20°C
Fujidol		800	4.75			20°C
Fujidol		1600	6.5			20°C
Fujidol	1+3	1600	14			20°C
Fujidol	1+1	1600	9			20°C

Fujidol		3200	11			20°C
FX-19		100	7	7		20°C
FX-37	1+3	1600	5			20°C
FX-39	1+9	1600	5.5			20°C
FX-50		1600	13			20°C
Gamma Plus	1+7	1600	4.5			20°C
Gamma Plus	1+20	1600	10.5			20°C
Gamma Plus	1+12	1600	6.5			20°C
Gradual ST20	1+9	500	9			20°C
Gradual ST20	1+9	800	12			20°C
Gradual ST20	1+9	1600	12			24°C
HC-110	H	200	5			20°C
HC-110	B	800	4.75			20°C
HC-110	B	1600	7			20°C
ID-11		400	4			20°C
ID-11	1+1	400	5.5			20°C
ID-11	1+3	800	11.5			20°C
ID-11	1+1	800	7			20°C
ID-11		800	5			20°C
ID-11		1600	7.5			20°C
ID-11	1+1	1600	9			20°C
ID-11	1+3	1600	15.25			20°C
ID-11		3200	15			20°C
Ilfosol S	1+9	1600	9			18°C
Ilfotec DD		400	5			24°C
Ilfotec DD		800	5.5			24°C
Ilfotec DD		1600	6			24°C
Ilfotec DD		3200	7			24°C
Ilfotec DD		6400	8			24°C
Ilfotec DD		12500	9			24°C
Ilfotec DD-X	1+9	320	5.5			20°C

Ilfotec DD-X	1+4	800	4.5			20°C
Ilfotec DD-X	1+4	1600	5			20°C
Ilfotec DD-X	1+4	3200	9			20°C
Ilfotec HC	1+31	1600	7			20°C
Ilfotec LC29	1+19	1600	7			20°C
Ilfotec LC29	1+29	1600	10			20°C
Microdol-X		400	6.5			20°C
Microdol-X		800	8.25			20°C
Microdol-X		1600	10.5			20°C
Microphen	1+1	320	5.5			20°C
Microphen		1600	3.25			20°C
Microphen		3200	5.75			20°C
Negafin		1600	5			20°C
Neofin Blue		1600	12			20°C
Neofin Red		1600	6.5			20°C
Neotenal Liquid	1+5	1600	3			20°C
Nucleol BF200	4+2.5	640	5			20°C
Nucleol BF200	4+2.5	800	8			20°C
Nucleol BF200	4+2.5	1600	9.5			24°C
Nucleol BF200	4+2.5	3200	13			24°C
Ornano MX		500	4			20°C
Ornano MX		1600	5			20°C
Ornano MX		3200	10			20°C
Pandol		1600	4			20°C
Pandol		3200	9			20°C
PMK	1+2+100	1600	12			20°C
Pressmax	1+19	1600	5			20°C
Promicrol	1+9	2400-3200	12			20°C
Promicrol	1+14	2400-3200	19			20°C
Rodinal	1+100	250	15			20°C

Rodinal	1+49	320	5			20°C
Rodinal	1+25	400	3.5			20°C
Rodinal	1+100	400	20			20°C
Rodinal	1+25	1600	5			20°C
Rodinal	1+50	1600	8			20°C
SPD	1+3	800	7.75			20°C
SPD	1+1	800	4.5			20°C
SPD	1+3	1600	12			20°C
SPD		1600	4.25			20°C
SPD	1+1	1600	6.5			20°C
SPD	1+1	3200	15			20°C
SPD		3200	8			20°C
Sprint Standard	1+9	1600	11.5			20°C
Spur SLD	1+7	1600	3.5-5			20°C
Studional	1+15	800	3			20°C
Studional	1+15	800	4			20°C
Suprol	1+19	1600	3.5			20°C
TMax Dev	1+9	640	6			24°C
TMax Dev	1+4	1600	4.5			20°C
TMax Dev	1+4	3200	10			20°C
TMax RS		400	4			20°C
TMax RS		1600	5			20°C
TMax RS		3200	9.5			20°C
Ultrafin	1+20	1600	11			20°C
Ultrafin	1+10	1600	5.5			20°C
Ultrafin Plus	1+4	1600	5			20°C
Ultrafin Plus	1+6	1600	6			20°C
Ultrafin SF	1+1	1600	6			20°C
Ultrafin SF		1600	5			20°C
Unitol	1+14	1600	14			20°C
Varispeed	1+9	1600	5			20°C
Xtol	1+3	200	9.25			20°C
Xtol	1+2	200	7			20°C

Xtol	1+1	200	5.5			20°C
Xtol		200	4			20°C
Xtol	1+3	400	10.25			20°C
Xtol	1+2	400	7.75			20°C
Xtol	1+1	400	6			20°C
Xtol		400	4.5			20°C
Xtol	1+1	800	6.75			20°C
Xtol	1+3	800	11.5			20°C
Xtol		800	5			20°C
Xtol	1+2	800	8.5			20°C
Xtol		1600	5.75			20°C
Xtol	1+1	1600	7.5			20°C
Xtol	1+2	1600	10			20°C
Xtol	1+2.5	1600	11.5			20°C
Xtol	1+3	1600	13			20°C
Xtol	1+3	3200	14.75			20°C
Xtol		3200	6.5			20°C
Xtol	1+1	3200	8.5			20°C
Xtol	1+2	3200	11.25			20°C
Xtol	1+2	6400	13			20°C
Xtol	1+1	6400	9.75			20°C
Xtol		6400	7.25			20°C
Xtol	1+3	6400	16.5			20°C

### FUJI NEOPAN PRESTO 100

Wywoływacz	Rozcieńczenie	Naświetlanie	35mm	120	Błony	Temp.
D-76		100	7.25			20°C
D-76	1+1	100	9.5			20°C
D-76		200	10			20°C
Fuji Microfine		100	9			20°C
Fujidol E	1+1	100	8.5			20°C
Fujidol E		100	7.25			20°C



HC-110	B	100	5.25			20°C
ID-11		100	7			20°C
Microdol-X		100	11			20°C
Perceptol		100	10			20°C
SPD	1+1	100	6.5			20°C
SPD		100	4			20°C
SPD		200	7.5			20°C
Super Fujidol		100	7			20°C
TMax Dev	1+4	100	6			20°C
TMax Dev	1+4	200	9			20°C
TMax Dev	1+4	400	12			20°C
TMax RS		100	4.25			20°C
TMax RS		200	6			20°C